

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of: Cragg et al.

Patent No.: 7,201,725 B1

Issued: April 10, 2007

For: "Device and Method for Determining a Depth of
an Incision"

**REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.322**

MS Post Issue
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted typographical errors which should be corrected. Each error is listed in the accompanying USPTO form PTO/SB/44.

On page 3, under Other Publications:

Please remove:

--Schievink, et al. The new england journal of medicaine; review articles;
intracranial aneurysms; Jan. 2, 1997.

Szikora, et al. Combined Use of stents and cells to treat experimental wide-necked
carotid aneurysms; Preliminary results; AJNR AM newradiol 15: 1091-1102, Jun.
94.

Turjman, et al. Combined stent implantation & endosacular coil placement for
treatment of experimental wide-necked aneurysms; AJNRAM J. Neuroradio 15:
1087-1090 Jun. 94. --

And replace it with:

--Schievink, et al. The New England Journal of Medicine; review articles;
Intracranial Aneurysms; Jan. 2, 1997.

Szikora, et al. Combined use of stents and cells to treat experimental wide-necked
carotid aneurysms: Preliminary results; AJNR 15: 1091-1102, Jun. 94.

Turjman, et al. Combined stent implantation & endosacular coil placement for
treatment of experimental wide-necked aneurysms: AJNR 15: 1087-1090 Jun. 94. --

In claim 10, column 14, line 46 please delete "050 to 160" and replace with -- .050 to
.160 --.

In claim 21, column 15, line 12 please delete "10" and replace with -- .10 --.

Some of the errors noted above are attributable to the Applicants, and therefore the
\$100 fee for correcting same is submitted herewith.


The errors sought to be corrected are inadvertent typographical errors the correction
of which does not involve new matter or require reexamination.

Transmitted herewith is a proposed Certificate of Correction effecting such
amendment. Patentee respectfully solicits the granting of the requested Certificate of
Correction.

Respectfully submitted,

MILLER, MATTHIAS & HULL
One North Franklin, Suite 2350
Chicago, Illinois 60606
312-977-9902

By:



Brent E. Matthias
Registration No. 41,974
Attorney for Applicant

Date March 21, 2008

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 2

PATENT NO : 7,201,725 B1

APPLICATION NO : 10/069,107

ISSUE DATE : April 10, 2007

INVENTOR(S) : Cragg et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On page 3, under Other Publications:

Please remove:

--Schievink, et al. The new england journal of medicaine; review articles;
intracranial aneurysms; Jan. 2, 1997.

Szikora, et al. Combined Use of stents and cells to treat experimental wide-necked
carotid anueryms: Preliminary results; AJNR AM newradiol 15: 1091-1102, Jun.
94.

Turjman, et al. Combined stent implantation & endosacular coil placement for
tretment of experimental wide-necked aneurysms:AJNRAM J. Neuroradio 15:
1087-1090 Jun. 94. --

And replace it with:

--Schievink, et al The New England Journal of Medicine; review articles;
Intracranial Aneurysms; Jan. 2, 1997

Szikora, et al. Combined use of stents and cells to treat experimental wide-necked
carotid anueryms: Preliminary results; AJNR 15: 1091-1102, Jun. 94.

Turjman, et al. Combined stent implantation & endosacular coil placement for
treatment of experimental wide-necked aneurysms:AJNRAM J. Neuroradio 15:
1087-1090 Jun. 94. --

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Miller Matthias & Hull
One North Franklin Street, Suite 2350
Chicago, Illinois 60606

This collection of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form call 1-800-PTO-9199 and select option 2

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 2 of 2

PATENT NO : 7,201,725 B1

APPLICATION NO : 10/069,107

ISSUE DATE : April 10, 2007

INVENTOR(S) : Cragg et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In claim 10, column 14, line 46 please delete "050 to 160" and replace with -- 050 to .160 --.

In claim 21, column 15, line 12 please delete "10" and replace with -- .10 --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Miller Matthias & Hull
One North Franklin Street, Suite 2350
Chicago, Illinois 60606

This collection of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2